


OTP6M - optical trigger probe system



SALES & SERVICE:

A Tech Authority, Inc.
13745 Stockton Ave.
Chino CA 91710
909-614-4522
sales@atechauthority.com

Non-contact inspection
Repeatable z axis
measurements



Visible laser spot
Compatible with
standard CMM probe
software



Interchangeable with
standard touch trigger
probes
Retrofittable to
existing CMMs

A laser inspection system for use
on manual and DCC CMMs

RENISHAW 

THE OTP6M SYSTEM

The OTP6M optical trigger probe system gives users of Co-ordinate Measuring Machines (CMMs) the ability to add a non-contact inspection capability to their machines.


Integration of the system is easy and uses standard CMM software to control the measurement process - all made possible by the new OPI6 interface, which also enables OTP6M to be used with standard touch trigger probes.

APPLICATION

Developed in collaboration with a German supplier of laser measurement technology, the OTP6M laser probe incorporates a Renishaw 'autojoint', enabling fitment to the standard PH6M and PH10M multiwired probe heads. It combines the functions of a conventional contact probe with the advantages of non-contact inspection.

The OTP6M probe uses a visible laser beam which causes no distortion of component surfaces, allowing the inspection of pliable or delicate materials. The system gives repeatable Z-axis measurements and has an edge triggering capability. Typical applications include the measurement of interior parts for automobiles eg. seating and dashboards, plastic mouldings and clay models/prototypes.

When fitted to the PH10M motorised head the OTP6M probe can be automatically orientated in 2 additional axes, allowing most features of a part to be accessed in a single set-up.





OPERATING PRINCIPLE

The OTP6M system operates using the co-axial optical triangulation principle. A Class 2 laser beam is projected onto the component surface and a trigger signal sent to the CMM controller when the laser spot reaches its focal point. The trigger signal emulates that of a standard touch trigger probe, ensuring that the OTP6M can be used with existing CMM software requiring no specialist programming techniques.



EASE OF INTEGRATION

The new OPI6 interface enables the OTP6M laser probe to be easily integrated with standard touch trigger probes, ensuring full compatibility with existing probe installations. The OPI6 also has the capability to integrate with other multi-wired Renishaw probes (eg. SP600M scanning probe), directing probe signals to the relevant interface.* The ability to operate multiple probe sensor applications on a single machine is therefore possible.

*Note: Signals may only be passed to one additional interface unless used in conjunction with an Interface Selector 1 (IS1).

FLEXIBILITY

When used with a multi wired probe extension (PEM) adaptor the OTP6M is compatible with the unique Renishaw Autochange Rack System, a standard option on most automated CMMs. This allows the laser probe to be used with other sensors during a single automated inspection cycle, without the need for operator intervention.

The full benefits of using multiple sensors for maximised inspection efficiency is therefore achievable.

Global solutions from Renishaw

Renishaw is an established world leader in metrology, providing high performance, cost-effective solutions for measurement and increased productivity. A worldwide network of subsidiary companies and distributors provides exceptional service and support for its customers.

Renishaw designs, develops and manufactures products which conform to ISO 9001 standards.

Renishaw provides innovative solutions with the following products:

- Probe systems for inspection on CMMs (co-ordinate measuring machines).
- Systems for job set-up, tool setting and inspection on machine tools.
- Scanning and digitising systems.
- Laser and automated ballbar systems for performance measurement and calibration of machines.
- Encoder systems for high accuracy position feedback.
- Spectroscopy systems for non-destructive material analysis in laboratory and process environments.



Authorised distributor



Renishaw plc, New Mills, Wotton-under-Edge, Gloucestershire GL12 8JR, United Kingdom
Tel: +44 (0) 1453 524524 Fax +44 (0) 1453 524901
email: genenq@renishaw.com



Renishaw Inc. 623 Cooper Court, Schaumburg, Illinois 60173, USA
Tel +1 847 843 3666 Fax +1 847 843 1744
email: usa@renishaw.com



Renishaw K. K. Across City Nakano-Sakaue, 38-1, Chuo 1-chome, Nakano-ku, Tokyo 164-0011, Japan
Tel +81 3 5332 6021 Fax +81 3 5332 6025
email: japan@renishaw.com



Renishaw GmbH Karl-Benz Straße 12, D 72124 Pliezhausen, Germany
Tel +49 71 27/9810 Fax +49 71 27/88237
email: germany@renishaw.com



Renishaw S.A. 15 rue Albert Einstein, Champs sur Marne, 77437 Marne la Vallee, Cedex 2, France
Tel +33 1 64 61 84 84 Fax +33 1 64 61 65 26
email: france@renishaw.com



Renishaw S.p.A. Via dei Prati 5, 10044 Pianezza, Torino, Italy
Tel +39 011 966 10 52 Fax +39 011 966 40 83
email: italy@renishaw.com



Renishaw Iberica S.A. Edificio Océano, Calle Garrotxa 10-12, Parque Más Blau, 08820 Prat de Llobregat, Barcelona, Spain
Tel +34 93 478 21 31 Fax +34 93 478 16 08
email: spain@renishaw.com



Renishaw A.G. Poststrasse 5, CH 8808 Pfäffikon, Switzerland
Tel +41 55 410 66 66 Fax +41 55 410 66 69
email: switzerland@renishaw.com



Renishaw (Hong Kong) Ltd. Unit 4A, 3/F, New Bright Building, 11 Sheung Yuet Road, Kowloon Bay, Hong Kong
Tel +852 2753 0638 Fax +852 2756 8786
email: hongkong@renishaw.com



Renishaw Latino Americana Ltda. Calçada dos Crisântemos, 22 Centro Comercial de Alphaville, C.e.p. 06453-000, Barueri-SP, Brazil
Tel +55 11 7295 2866 Fax +55 11 7295 1641
email: brazil@renishaw.com

Renishaw's Representative Offices



The Peoples' Republic of China, Beijing
Tel +86 10 6410 7993 Fax +86 10 6410 7992
email: china@renishaw.com



The Peoples' Republic of China, Shanghai
Tel +86 21 6353 4897/5697 Fax +86 21 6353 4881
email: china@renishaw.com



Singapore
Tel +65 8975466 Fax +65 8975467
email: singapore@renishaw.com



Indonesia, Jakarta
Tel +62 21 428 70153 Fax +62 21 424 3934
email: indonesia@renishaw.com



Australia, Melbourne
Tel +61 3 9553 8267 Fax +61 3 9592 6738
email: australia@renishaw.com

Renishaw's Liaison Offices



India, Bangalore
Tel +91 80 5095419 Fax +91 80 5095421
email: india@renishaw.com



South Korea, Seoul
Tel +82 2 565 6878 Fax +82 2 565 6879
email: southkorea@renishaw.com

RENISHAW®

email: genenq@renishaw.com

Internet: <http://www.renishaw.com>

Corporate telephone number for Renishaw plc, New Mills:
+44 (0) 1453 524524 or 07000 RENISHAW